

ANNEXURE-XA10150
ANGLE SEATED
FULL BORE GLOBE Valve
Grinding and Lapping Machine
TYPE GHF-XA10150 size 10mm dia to 150mm dia



You can do lapping of 3 valves of different size in this range.

FLUIDCHEM

Operative Range:

PORTABLE Angle Seated Globe Valve Grinding & Lapping Machine for the refurbishing on site (In Situ) of:

- sealing surfaces [body seat ring] in **Angle Seated Globe Valve** of various makes and size
- flanges

Design:

- modern construction, handy, light, and robust
- one-man-operation!
- suitable for on-site service as well as for overhaul in the workshop
- machine, tools, and accessories are corrosion-protected by chrome plated of surface

Working Range: TYPE GHF XA10150 Size 10mm dia to 150mm dia

FLUIDCHEM will supply 3 assembly machines

No.1 10mm shafting assembly machine with SUBMURGABLE DEPTH OF 150mm

With center holding cone disc for assembly on **Angle Seated Globe Valve** body bonnet

No.2 10mm shafting assembly machine with SUBMURGABLE DEPTH OF 300mm

With center holding cone disc for assembly on **Angle Seated Globe Valve** body bonnet

No.3 15mm shafting assembly machine with SUBMURGABLE DEPTH OF 350mm

With base plate to mount on **Angle Seated Globe Valve** Body bonnet

These 3 assembly machine will cover Angle Seated Globe Valve from 10mm to 150mm

Electrically Operated PERLESS ELCTRIC TYPE SRE4-713 Or Equivalent 230V /50Hz-60Hz,
Speed 250-600 RPM

Weight 1.75kg.

With Gear Assembly 3.2kg

Or

















































Pneumatically Operated : Ingersoll rand Air Motor or Equivalent





















Air Flow 15cfm

0.4 HP

Free Speed of Air motor 200-400 RPM

CONE ANGLE DISC of 15°, 20°, 30°, 37.5°, 45°, 60° [any three angle disc] will be supplied with Machine Set.

Sr. No.	ID Of Angle Seat	15 Degree	30 Degree	37.5 Degree	45 Degree
	Cone Plate in mm	Total 30 Degree	Total 60 Degree	Total 75 Degree	Total 90 Degree
1	10mm	 1 no.	 1 no.	 1 no.	 1 no.
2	12mm	 1 no.	 1 no.	 1 no.	 1 no.
3	14mm	 1 no.	 1 no.	 1 no.	 1 no.
4	16mm	 1 no.	 1 no.	 1 no.	 1 no.
5	20mm	 1 no.	 1 no.	 1 no.	 1 no.
6	25mm	 1 no.	 1 no.	 1 no.	 1 no.
7	28.6mm	 1 no.	 1 no.	 1 no.	 1 no.
8	36mm	 1 no.	 1 no.	 1 no.	 1 no.
9	38mm	 1 no.	 1 no.	 1 no.	 1 no.
10	43mm	 1 no.	 1 no.	 1 no.	 1 no.
11	46mm	 1 no.	 1 no.	 1 no.	 1 no.
12	60mm	 1 no.	 1 no.	 1 no.	 1 no.

13	70mm	 1no	 1no	 1no	 1no
14	90mm	 1no	 1no	 1no	 1no
15	100mm	 1no	 1no	 1no	 1no
16	125mm	 1no	 1no	 1no	 1no
17	150mm	 1no	 1no	 1no	 1no

BONNET CENTERING Mounting Cone, total 5nos will be supplied with machines assembly.

Self Adhesive Abrasive Papers:-ALUMINIUM OXIDE upto 220 grit and above 220 grit we will supply Self Adhesive Abrasive Papers in SILICON CARBIDE

Only 25 nos. of SELF ADHESIVE ABRASIVE PAPERS will be supplied [Irrespective of ANGLES]

CONE [seat opening] SIZE	80 GRIT	120 GRIT	220 GRIT	400 GRIT	TOTAL
10mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
12mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
14mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
16mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
20mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
25mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
28.6mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
36mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
38mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
43mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
46mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
60mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
70mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
90mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
100mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
125mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.
150mm	25 nos.	25 nos.	25 nos.	25 nos.	100 nos.

Standard Accessories:

- 1 inspection light
- 1 tools for mounting of machine [Spanner & Allen Key set]
- 1 knife for removal of used grinding papers
- 1 instruction manual
- 1 assortment of screws as spare parts
- 1 hand crank


Dimensions of Case 1 which consists of Machines + Consumables:- Size 24.5" x 30" x 12"

Weight of Case 1: Net Weight 44Kg

Dimensions of Case 2 which consists of Abrasive Papers and tools:- Size: 17" x 11" x 7"

Weight of Case 2: Net Weight 9.55kg

All this packed in metal transport boxes.





CASE NO.1



CASE NO.2

Contact us in case you require Extra with chargeable basis.

Electric Drive motor
Pneumatic Drive motor